UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO.                      | FILING DATE   | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |  |
|--------------------------------------|---|----------------------|---------------------|------------------|--|
| 10/807,060                           | 03/23/2004  | Jonathan Maron       | 100202433-2         | 4057             |  |
|                                      | 22879 7590 06/10/2008<br>HEWLETT PACKARD COMPANY                    |                      |                     | EXAMINER         |  |
| P O BOX 272400, 3404 E. HARMONY ROAD |   |                      | JOHNSON, JOHNESE T  |                  |  |
|                                      | INTELLECTUAL PROPERTY ADMINISTRATION<br>FORT COLLINS, CO 80527-2400 |                      | ART UNIT            | PAPER NUMBER     |  |
|                                      |   |                      | 2166                |                  |  |
|                                      |   |                      |                     |                  |  |
|                                      |   |                      | NOTIFICATION DATE   | DELIVERY MODE    |  |
|                                      |   |                      | 06/10/2008          | ELECTRONIC       |  |

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

JERRY.SHORMA@HP.COM mkraft@hp.com ipa.mail@hp.com

|   | Application No.   | Applicant(s)  |  |
|---|---|---|--|
|   | 10/807,060  | MARON, JONATHAN   |  |
| Office Action Summary   | Examiner  | Art Unit  |  |
|   | Johnese Johnson   | 2166  |  |
| The MAILING DATE of this communication ap<br>Period for Reply   | opears on the cover sheet with the  | correspondence address  |  |
| A SHORTENED STATUTORY PERIOD FOR REPI WHICHEVER IS LONGER, FROM THE MAILING I  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b). | DATE OF THIS COMMUNICATIO<br>.136(a). In no event, however, may a reply be tid<br>d will apply and will expire SIX (6) MONTHS fron<br>the, cause the application to become ABANDONI | N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133). |  |
| Status  |   |   |  |
| Responsive to communication(s) filed on 14 in 2a) This action is <b>FINAL</b> . 2b) The 3) Since this application is in condition for allowed closed in accordance with the practice under  | is action is non-final.<br>ance except for formal matters, pr   |   |  |
| Disposition of Claims   |   |   |  |
| 4)  Claim(s) 1-20 is/are pending in the applicatio 4a) Of the above claim(s) is/are withdra 5)  Claim(s) is/are allowed. 6)  Claim(s) 1-20 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction and/   | awn from consideration.   |   |  |
| 9) The specification is objected to by the Examir   | ner.  |   |  |
| 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the corre  11) The oath or declaration is objected to by the E   | ccepted or b) objected to by the e drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob   | ee 37 CFR 1.85(a).<br>pjected to. See 37 CFR 1.121(d).                        |  |
| Priority under 35 U.S.C. § 119  |   |   |  |
| 12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Burea * See the attached detailed Office action for a list   | nts have been received.<br>nts have been received in Applicat<br>ority documents have been receiv<br>au (PCT Rule 17.2(a)).   | tion No<br>red in this National Stage   |  |
| Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date  | 4)  Interview Summary Paper No(s)/Mail D 5)  Notice of Informal I 6)  Other:  | oate  |  |

3

Art Unit: 2166

## **DETAILED ACTION**

#### Remarks

- 1. In response to the Amendment filed on March 14, 2008, claims 1-20 are pending in this application.
- 2. The rejections to claims 10 and 17-20 under 35 USC 101 are overcome by the amendments to the claims.

#### Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Robertson et al. (2002//0188538) in view of Pace et al. (US. PG. Pub. No. 2003/0050932).

As to claim 1, Robertson et al. disclose:

A method to provide a service in a controlled run-time environment,

comprising:

registering a proxy service in said controlled run-time environment wherein said proxy

service implements an interface defined according to said controlled run-time environment (see paragraph [0153]) configured to services operating in said controlled run-time environment to interoperate with said proxy service (see paragraph [0193]);

receiving service information by said proxy service from a local service executing in said controlled run-time environment via an interface method of said proxy service (see paragraph [0253]);

However, Robertson et al. does not explicitly disclose:

communicating said service information to a remote service from said proxy service; receiving processed information from said remote service in response to said communicating; and

returning said processed information to said local service from said proxy service.

# Pace et al. disclose:

communicating said service information to a remote service from said proxy service (see paragraph [0908], lines 4-9);

receiving processed information from said remote service in response to said communicating (see paragraph [0908], lines 4-9); and

returning said processed information to said local service from said proxy service (see paragraph [0908], lines 4-9).

It would have been obvious to have modified the teachings of <u>Robertson et al.</u> by the teachings of <u>Pace et al.</u> to fulfill an object request because previous methods were too slow and costly (see <u>Pace et al.</u> paragraphs [0907] – [0908]).

As to claims 2 and 18, Robertson et al., as modified, disclose:

wherein said proxy service is an object of a class that is instantiated by said controlled run-time environment (see Pace et al. paragraph [0053]).

As to claims 3 and 13, Robertson et al., as modified, disclose:

wherein said controlled run-time environment means instantiates said object in a partition (see <u>Pace et al.</u> paragraph [0908], lines 4-9) and only permits services operating in said partition to access said proxy service (see <u>Pace et al.</u> paragraph [0440]; wherein EJBs extend the attributes of Java thereby delivering access security).

As to claim 4, Robertson et al., as modified, disclose:

wherein said communicating service information comprises:

encapsulating said service information in an extensible mark-up language (XML) file (see <u>Pace et al.</u> [0317]; wherein information can be in the form of a java servlet and JSP and the JSP is in xml).

As to claims 5 and 14, Robertson et al., as modified, disclose:

security management means for exposing said proxy service only when said security management means determines access is permitted according to security parameters (see <u>Pace et al.</u> paragraph [0398]; wherein EJBs extend the attributes of Java thereby delivering access security).

Art Unit: 2166

As to claim 6, Robertson et al., as modified, disclose:

wherein said exposing comprises: determining user-level authorization from said security parameters (see <u>Pace et al.</u> paragraph [0322], lines 22-27; wherein the EJB container manages access of multiple users).

As to claim 7 Robertson et al., as modified, disclose:

wherein said exposing comprises: determining process-level authorization from said security parameters (see <u>Pace et al.</u> paragraph [0067]; wherein the container manages control of transactions).

As to claims 8 and 15, Robertson et al., as modified, disclose:

further comprising: creating a log of access to said remote service (see <u>Pace et al.</u> paragraph [0750]).

As to claims 9 and 16, Pace Robertson et al., as modified, disclose:

wherein said communicating said service information comprises: performing a remote procedure call (see <u>Pace et al.</u> paragraph [0477] – performs RMI).

As to claim 10, Pace et al. disclose:

A system to provide a modular software service, comprising:

controlled run-time environment means for managing processes (see paragraph

Art Unit: 2166

[0193]);

service registry means for registering services operating in said controlled run-time environment means, wherein at least one registered service is a proxy service means (see paragraph [153]);

said proxy service means implementing an interface defined according to said controlled run-time environment means for enabling services operating in said controlled run-time environment means to interoperate with said proxy service means, said proxy service means comprising:

means for receiving service information by said proxy service means from a local service executing in said controlled run-time environment means (see paragraph [253]);

However, Robertson et al. does not explicitly disclose:

means for communicating said service information to a remote service from said proxy service means;

means for receiving processed information from said remote service in response to said communicated service information; and

means for returning said processed information to said local.

# Pace et al. disclose:

means for communicating said service information to a remote service from said proxy service means (see paragraph [0908], lines 4-9);

means for receiving processed information from said remote service in response to said communicated service information (see paragraph [0908], lines 4-

Art Unit: 2166

9); and

means for returning said processed information to said local service (see paragraph [0908], lines 4-9).

It would have been obvious to have modified the teachings of <u>Robertson et al.</u> by the teachings of <u>Pace et al.</u> to fulfill an object request because previous methods were too slow and costly (see <u>Pace et al.</u> paragraphs [0907] – [0908]).

As to claims 11 and 19, Robertson et al., as modified, disclose:

wherein said proxy service means further comprises:

means for verifying said service information that is operable before said means for communicating (see paragraph [0121], lines 6-11, and paragraph [0190], lines 1-5).

As to claims 12 and 20, Robertson et al., as modified, disclose:

wherein said proxy service means further comprises:

means for communicating with a distributed service registry to identify said remote service (see paragraph [0477]).

As to claim 17, Robertson et al. disclose:

A computer-readable medium that comprises executable instructions for providing a service in a controlled run-time environment, said executable instructions comprising (see paragraph [0113]) - software): code for registering (see paragraph [0113]) a proxy service in said controlled run-time

environment wherein said proxy service implements an interface defined according to said controlled run-time environment to enable services operating in said controlled run-time environment (see paragraph [0153]) configured to services operating in said controlled run-time environment to interoperate with said proxy service (see paragraph [0193]);

coded for receiving (see paragraph [0113]) service information by said proxy service from a local service executing in said controlled run-time environment via an interface method of said proxy service (see paragraph [0253]);

However, Robertson et al. does not explicitly disclose:

code for communicating said service information to a remote service from said proxy service;

code for receiving processed information from said remote service in response to said communicating; and

code for returning said processed information to said local service from said proxy service.

## Pace et al. disclose:

- code for communicating said service information to a remote service from said proxy service (see paragraph [0908], lines 4-9);
- code for receiving processed information from said remote service in response to said communicating (see paragraph [0908], lines 4-9); and
- code for returning said processed information to said local service from said proxy service (see paragraph [0908], lines 4-9).

Art Unit: 2166

It would have been obvious to have modified the teachings of <u>Robertson et al.</u> by the teachings of <u>Pace et al.</u> to fulfill an object request because previous methods were too slow and costly (see <u>Pace et al.</u> paragraphs [0907] – [0908]).

### Response to Arguments

5. Applicant's arguments with respect to claims 1-20 have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Johnese Johnson whose telephone number is 571-270-1097. The examiner can normally be reached on 4/5/9.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hosain Alam can be reached on 571-272-3978. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2166

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. J./ Examiner, Art Unit 2166

June 5, 2008 /N. A./ Primary Examiner, Art Unit 2165

/Hosain T Alam/ Supervisory Patent Examiner, Art Unit 2166